

कार्यालय प्राचार्य शासकीय कन्या पॉलीटेक्निक बैरनबाजार, रायपुर (छ0ग0)

Web Site:- http://ggpraipur.ac.in

E Mail:- principal.ggpraipur @gmail.com

Fax 0771-2424778 Tel.No.:- 0771-2423045

क्रमांक / शाकपॉरा / स्टोर / निविदा—1 / 2015—16 / 1624

रायपुर, दिनांक ०८।१८ ८

शासकीय कन्या पॉलीटेक्निक रायपुर में केन्द्र प्रवर्तित योजनान्तर्गत प्रयोगशाला के अपग्रेडेशन ऑफ पॉलीटेक्निक स्कीम के तहत आडियो–विजुअल उपकरण / इलेक्ट्रानिक उपकरण आदि सामाग्री क्रय की जानी है। जिसकी अनुमानित मूल्य क्त. 40 लाख (क्त. चालीस लाख मात्र) है। इच्छुक निविदाकर्ता अपनी निविदा दिनांक 07/01/2016 समय 2.00 बजे तक निर्धारित प्रपत्र में तथा सीलबंद लिफाफा में प्रस्तुत की विस्तृत जानकारी के करें। विज्ञापन लिए संस्था Web Site:- http://ggpraipur.ac.in का अवलोकन करे। संस्था से सीधे निविदा प्रपत्र राशि रू. 3,000 / - (रू. तीन हजार मात्र) नगद द्वारा कार्यालयीन समय में लेखा शाखा से क्रय किया जा सकता है। तथा वेबसाईट से निविदा प्रपत्र डाऊनलोड करने पर निविदा प्रपत्र की राशि रू. 3,000 / — (रू. तीन हजार रूपये मात्र) का प्राचार्य के नाम डिमांड ड्राफ्ट के रूप में निविदा के साथ जमा करना अनिवार्य होगा।

शास.कन्या पॉली. रायपुर

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

No.GGPR./ UPGRADATION / EQUIP / TENDER-01 / 2015-16 / ______ Raipur, Dt.: 05.12.2015

TENDER NOTICE - 01 / 2015

Last date for Receiving sealed tender

: 07-01-2016 up-to 02.00 P.M

Date and time of opening the tender

: 07-01-2016 at 03.00 P.M

Rate Of Tender Form

: Rs. 3,000.00 (Rs One Thousand only) Each

Sealed Tender-bids are invited from the intended bidders for supply of Goods / Machineries / Equipment for various departments of the institute, by the Principal, Govt. Girl's Polytechnic, Raipur- 492001.

Tender should be submitted as per following guideline .:-

Tender will be submitted in four sealed envelope A, B, C and D as mentioned below envelope

- (A) Envelope 'A' shall contain
 - I. EMD
 - II. Registration Certificate issued by Commercial Tex Department mentioning such equipment supplier
 - III. Income Tax Clearance
- (B) Envelope 'B' shall contain
 - I. Technical Bid as per Annexure-I.II. Technical Literature and Original Leaflets of equipments offered.
 - II. Authorized dealer/Manufacturer certificate for the items offered as per Annexure-I ,II ,III
 - III. Undertaking of fulfillment of all condition
- (C) Envelope 'C' shall contain
 - I. Price Bids for quoted Items / Equipment / Machines
 - II. Discount Offer, if Any
- (D) Envelope 'D' shall contain
 All three afore said sealed envelope A + B + C.

TERMS AND CONDITIONS

- Terms and conditions for supply of Items / Equipment / Machines as per enclosed list for Govt.
 Girl's Polytechnic, Raipur
 - a. The tenderer is liable to be rejected if not submitted as per the prescribed conditions and in the prescribed format without asking any further clarification.
 - b. The bidder should quote their offer / rate in clear terms without any ambiguity.

Decrue

Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

- c. The tender will be opened as per the date and time given above in the presence of such tenderer (s) or their representatives who are desirous to be present.
- d. Tender received after due date and time will not be entertained.
- e. The tender form is non transferable.
- f. Tender should be submitted in Duplicate. They should be tagged separately and marked as ORIGINAL and DUPLICATE.
- g. Item No. and page no. of the tender form should be strictly in chronological order. Make, name of the manufacturer with complete address should be mentioned against each item and equipment.
- Printed condition on the back of the tender will not be binding unless separately mentioned.
 Copies of the terms and condition should be furnished in duplicate.
- i. The tenderer must furnish complete and detailed specification supported by printed literature of the equipment offered.
- 2. All the Envelopes should be signed & sealed tape on all joints.
 - a. The rate should be FOR destination including Excise and PFFI. Nothing extra will be paid in such case except the VAT / CST on the cost of the equipment.
 - b. If rates are quoted Ex-Godown / Ex-Factory then Excise duty, and PFFI charge should be clearly indicated for proper rate compatibility / comparability.
 - c. Taxes, if liable extra, should be clearly indicated failing which the rate quoted in the tender will be considered as inclusive of all taxes.
 - d. There should be no alterations / corrections made in the Tender. The quoted rate should be in figures and words.
 - e. The tender should clearly indicate whether the equipment is complete in itself. If in the opinion of the tenderer, certain accessories are necessary with the type of the equipment tendered, the tenderer must quote for aforesaid accessories under the heading Extra but Essential.
- 3. The tenderer is required to deposit 1,25,000/- (Rupees One Lac Twenty Five Thousand only) or 3% of the Quoted Rates, whichever is more. Amount based on Estimated cost of the store(s) as EMD. The EMD should be deposited, in the form of Demand Draft drawn in favour of Principal, Govt. Girls Polytechnic, Raipur, C.G payable at Raipur against tender No.GGPR./UPGRADATION/EQUIP/TENDER-01/2015-16. Tenders received without EMD shall be rejected. Requests for relaxing EMD will not be entertained. EMD by Cheque / Cashor / FD MO etc. will not be accepted.
- 4. In case of Non-Acceptance of the tender, the EMD will be refunded without interest to the tenderer in due course of time.

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

- 5. The EMD will be treated as Security Deposit in case of selected tenders. EMD / Security Deposit will be forfeited in case of breech of agreement towards the supply of materials and installation commissioning by the Tenderer (Supplier). The order shall stand cancelled and Security Deposit shall be forfeited.
- 6. If supplier expresses his inability to execute the order for the quoted items within validity period of the tender at the rate quoted in the tender and for makes / brand quoted in the tender.
- 7. If the complete equipment is not supplied within the delivery period mentioned in the order or within the extended period permitted.
- 8. If the supplier executes only part of the order.
- 9. Any Equipment / Trainers, Hardware or software breakdown must be attended within 7 days during the valid warranty period of the equipment/software free of cost.
- 10. Payments shall be released after the successful installation and demonstration of the machine / equipment at the respective institution.
- 11. The training for at least two persons for handling the machine / equipment shall be provided by the supplier at his own cost. The tenderer may be asked to give demonstration of the equipments / software preferably at Raipur.
- 12. The supplier will have to get the equipment delivered, installed and commissioned successfully as per specification in the designated institution and then only the payment will be made.
- 13. The one time extension in the delivery period may be granted, but it will be at the discretion of the undersigned. The penalty at a rate of 2% per month (of the cost of the equipment) is liable to be charged for the extension of the delivery period.
 - a. Equipment received after the delivery period or dispatched after the delivery period mentioned in the order will also be subjected to this penalty.
 - b. In case of any default in execution of the order, the undersigned reserves the right to forfeit the EMD / Security Deposit. The undersigned also reserves the right to cancel the order and forfeit the EMD / Security Deposit in case, the Tenderer fails to adhere strictly to all terms and condition of the order / tender.
 - c. If defects of any kind or deviations from the specification are detected and reported to the supplier, the supplier should make replacement or rectify the defects free of cost within 30 days from the date of report, failing which the equipment will not be accepted and will be returned to the supplier at his own cost and risk, and the EMD will be forfeited. In case the equipment is sent for repairs to the firm, it should be repaired with in 30 days, from the date of receipt of equipment failing which the same will not be accepted and EMD will be forfeited. However the undersigned may condone the delay in deserving cases at his discretion.

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

- 14. The undersigned reserves the right to increase / decrease the quantity of the equipment to be supplied.
- 15. The submission of the tender will be deemed to be the acceptance of all the terms and condition of the tender as stated herein and / or elsewhere in the tender document.
- 16. Tender-Rates should be valid for at least Twelve months from the date of opening of the tender. The prices should be firm without variations of any kind.
- 17. The undersigned reserves the right to accept the lowest or any tender and also of rejecting all or any tender without assigning any reasons for the same or to split up the tender as he may deem fit.
- 18. Exact and earliest possible time of delivery should be indicated in the tender against each item. The delivery period given in the order will be the date of receipt of the equipment in the institute and not the date of dispatch of the equipment by the supplier.

Sealed envelope for the tender should be super scribed as No.GGPR / UPGRADATION / EQUIP/ TENDER-01 / 2015-16 / Raipur. And it should be addressed to Principal, Govt.Girls Polytechnic, Bayron Bazar, Raipur, C.G 492001. Tender for be clearly mentioned on the Envelop (at Left-hands side Top Corner).

- 19. All items quoted must conform to the BIS / ISO or other certifications as far as possible related to item categories.
- 20. No advance payment shall be made.
- 21. The Tenderer / Bidders shall provide TIN No. certificate having mentioned tendered item. ST Clearance certificate from the concerned authority and should be attached with the tender. In case of imported Machinery bill of clearance is required. If, tender received without these certificates shall be rejected without assigning any reason.
- 22. The Minimum Warranty / Guarantee period for the equipment supplied by the Supplier, will have to be mentioned clearly which should not be less than one year from the date of installation. The tenderer will be required to undertake repair / replacement of defective parts free of cost at the institution during the warranty / guarantee period.
- 23. All the disputes with regard to the contract of purchase of equipment etc. is subjected to Raipur, Chhattisgarh Jurisdiction only.
- 25. The Equipment / Machinery calibrated in metric system need be quoted.

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

- 26. The tenderer shall guarantee that after sales service shall be provided as and when required.
- 27. The supplier will render necessary assistance, if required, in the installation of the Equipment / Machinery in the designated institute (s) / site free of charge.
- 28. No offer should be made for imported item for which import license has to be arranged by the undersigned. The entire imported item will have to be delivered in the designated institute (s) and payment will be made in Rupees.
- 29. The payments shall be released only after satisfactory and successful commissioning and installation of the Equipment / Machinery at the designated site / institute (s).
- 30. The rate quoted as per given format in Annexure-I & Annexure-II.. Packing, forwarding, freight, insurance and other incidental charges should be included in the offer price..
- 31. In the event of any dispute arising out of the bid or from the resultant contract, the decision of the Govt. Girls' Polytechnic, Raipur shall be final.
- 32. The bid document /resultants contract will be interpreted under Indian laws.
- 33. If the successful Tenderer / Bidders, on receipt of the order, fails to execute the order within the stipulated period, in full or part, it will be open to the Govt. Girls' Polytechnic, Raipur, to recover liquidated damage from the firm at the rate of 2% of the value of undelivered goods per month or part there of, subject to a maximum of 5% of the value of undelivered goods.

Alternatively, it will also be open to the Govt. Girls' Polytechnic, Raipur, to arrange procurement of the required goods from any other source at the risk and expenses of the Tenderer / Bidder.

- 34. The undersigned is not responsible for any loss or damage to the equipments during transit irrespective of the fact that they are insured or not insured or delivery is ex-godown or factory station.
- 35. The Tenderer / Bidder is required to execute the agreement bond duly signed and witnessed to this office along with the letter confirming the acceptance of the order. It should be noted that in the event of failure to submit agreement bond duly filled in within the stipulated period, i.e. 10 days (Ten days), entire amount of Earnest Money / Security Deposit is liable to be forfeited and order cancelled and if supply have been made in the meanwhile, they will be at the risk and responsibility of the supplier.
- 36. No claim shall be entertained in respect of interest on Earnest Money / Security Deposit / Bid Deposit.
- 37. Inspection of the equipment will be carried out at the institution after receipt of the equipments. Any request for the inspection of the same at the firm's factory / go-down / showroom etc. will not be entertained.
- 38. Illustrated manuals, working instructions, trainers, software and hardware, erection / wiring details of the ordered equipments must be supplied in suitable damp proof cover.

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

PRINCIPAL Govt.Girs's Polytechnic Byron-Bazar, Raipur (CG)

(PA)

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

ANNEXURE-I

PERFORMA FOR TECHNICAL - BID

The offer should be submitted in the following format only

S.No	Name of Item along with Make	Specifications given in the Tenders	Technical Specifications which the bidder wants to supply as per Catalogue/ Brochure	Remarks
		,		

NOTE: Attach Technical Catalogue / Brochure of the product in original for above quoted Items. The quoted items.

ANNEXURE-II

PERFORMA FOR COMMERCIAL - BID

The offer should be submitted in the following format only

SI. No.	Name of Item along with Make	Specifications given in the Tenders	Technical Specifications which the bidder wants to supply as as Catalogue/ Brochure	Price of Equipment	Cost of equipment Inclusive all	Remarks

NOTE: All the above quoted items rate should be in confirmation with the tender conditions.



Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

UNDERTAKING BY THE TENDERER

(To be signed and returned along with the tender)

I / We (Full Name),
Address,
have read the tender rules for the supply of various stores as per tender notice No.GGPR / Upgradation /
Equip / Tender-01 / 2015-16 to the Principal Govt. Girls Polytechnic, Raipur (C.G.) and I / We, fully accept
the bidding rules / terms,& condition supplied with the bidding documents.
Date:
Signature:
(Name & Full Address of the Firm)



Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

LIST OF AUDIO-VISUAL EQUIPMENT WITH SPECIFICATION

1. PLASMA TV

Min. 60" Plasma Panel Screen Size

01-SET

Resolution - 1920 x 1080 / Full HD

AUDIO; Built in Stereo Speakers / Min. Audio Power Output - 20 W RMS

IN-BUILT WIFI / SWAP AND SHARE / USB TO USB SHARE

02- HDMI-Port / 02- AV-Port / USB-Port / SD-Card Slot / Blue Tooth / RJ-45-Port

Compo Video IN / Mini D-Sub -15Pin / RCA Phono-Jack etc.

ACCESSORIES: Wal Fixtures / Cables & Cords etc.

2. TV MATRIX VIDEO-WALL LED TV (2 X 2)

Appx. 55" Hi-Glow LED Video wall Panel Screen

01-Set.

Resolution - 1920 X1080p, Min. 400-cd/m2 or higher

Tuner : DVB-T/T2

View Angle: 178° (Right to Left), 178° (Up to Down)
Bezel Width: Appx. 0.1 in. / 0.1 in., 3.7mm / 1.8mm

Built in Stereo Speakers / Min. Audio Power Output – 20 W RMS

HDMI-Port / AV-Port / USB-Port / SD-Card Slot / Blue Tooth / RJ-45-Port

Compo Video IN / Mini D-Sub -15Pin / RCA Phono-Jack etc.

Clarity, color and contrast with 4K processor chip

Upscale to near 4K resolution, regardless of source with 4K X-Reality™ PRO

Android TV*1 between different Android devices
Bass Reflex Speaker for bigger, better bass
ClearAudio+ fine-tunes TV sound for an immersive

Ultra-narrow bezel Advanced thermal capabilities, Advanced cooling system, Sealed panel,

Thin bezel, TileMatrix (2X2), TileComp,

Hard Coating, Antiglare treatment of the front polarizer

Orientation: Portrait or Landscape

CableComp+, Ethernet Control and Communication Plug and Play (DDC/CI, DDC2B), Scheduler (w/ RTC), Sharpness/softness adjustment, Screen saver function,

Ambient light sensor (AmbiBright), 6-axis colour adjustment, Metal rear cabinet, POP

Standard Certification: FCC-Class 'B' / CE / CC Safety Standard: UL / cUL /CB / TUV / KCC

ACCESSORIES: Wall Fixtures / Assorted Cables - Connectors & Power Cords etc.

3. TV MATRIX VIDEO-WALL LED TV (1 X 2) Appx. 55" Hi-Glow LED Panel Screen

01-SET

(Deeree)

Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

Resolution - 1920 X1080p, Min. 400-cd/m2 or higher

Tuner : DVB-T/T2

View Angle: 178° (Right to Left), 178° (Up to Down)
Bezel Width: Appx. 0.1 in. / 0.1 in., 3.7mm / 1.8mm

Built in Stereo Speakers / Min. Audio Power Output - 20 W RMS

HDMI-Port / AV-Port / USB-Port / SD-Card Slot / Blue Tooth / RJ-45-Port

Compo Video IN / Mini D-Sub -15Pin / RCA Phono-Jack etc.

Clarity, color and contrast with 4K processor chip

Upscale to near 4K resolution, regardless of source with 4K X-Reality™ PRO

Android TV*1 between different Android devices

Bass Reflex Speaker for bigger, better bass

ClearAudio+ fine-tunes TV sound for an immersive

Ultra-narrow bezel Advanced thermal capabilities, Advanced cooling system, Sealed panel,

Thin bezel, TileMatrix (2X2), TileComp,

Hard Coating, Antiglare treatment of the front polarizer

Orientation: Portrait or Landscape

CableComp+, Ethernet Control and Communication

Plug and Play (DDC/CI, DDC2B), Scheduler (w/ RTC),

Sharpness/softness adjustment, Screen saver function,

Ambient light sensor (AmbiBright), 6-axis colour adjustment, Metal rear cabinet, POP

Standard Certification: FCC-Class 'B' / CE / CC Safety Standard: UL / cUL /CB / TUV / KCC

ACCESSORIES: Wall Fixtures / Assorted Cables - Connectors & Power Cords etc.

Min. 75" Hi-Glow LED Panel Screen Size/ Panel Type - 60Hz D-LED BLU Resolution - 1920 x 1080 / Full HD / Pixel Pitch (HxV) - 0.2865 (H) x 0.8595 (V)

Active Display Size (HxV) - 1650.24 (H) x 928.26 (V)

Contrast Ratio – 5000 : 1 / Color Display - 10bit Dithering - 1.07 Billion H-Scanning Frequency - 30 ~ 81kHZ / V-Scanning Frequency - 48 ~ 75HZ

Maximum Pixel Frequency - Appx. 148 Hz. / Brightness - 450nit

AUDIO; Built in Stereo Speakers / Min. Audio Power Output – Appx.10 W Audio RMS In-Built Wifi / Swap And Share / Usb To Usb Share

CONNECTIVITY

02- HDMI-Port / 02- AV-Port / USB-Port / SD-Card Slot / Blue Tooth / RJ-45-Port Compo Video IN / Mini D-Sub -15Pin / RCA Phono-Jack etc.

ACCESSORIES: Wall Fixtures / Assorted Cables - Connectors & Power Cords etc

4. LED TV (DISPLAY SYSTEM)

2 of 12

01-SET

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

5. PROJECTION TV SYSTEM

Appx. 80" Curved Screen

01-SET

TV Tuner / Channel True Universal, Comb Filter 4H.

Input/Output connections S-Video Input:F1, R1, ANT (RF):R1,

Smart Component (Y/Pb/Pr):R2, Scart (Option):R1, PC Input (D-sub 15 Pin):R1, HDMIR1,

Picture Mode: 4 Modes, Colour Temperature Adjust: 5 Modes,

Sound Mode Select: 5 Modest, Auto Volume Leveller (AVL): True, ATM (ATS): True,

Picture and Text:True, PlugPlay:True,

Absent Power Off: True, Auto Power Off: True, Still cture: True, Input Labelling True,

Display Resolution/Format Input Signal: 480i/480P/576i/576P/1080i/720P.

DNIe: True, Display Mode: 720 Progressive.

PC Input: VGA-XGA, DarkChip:True, Neutral Density Filter (NDF)True.

Timer/Clock On/Off Timer:True, Sleep TimerTrue, Display menu language Multi,

World Wide Multi, VHF/UHF (2-12 / 21-69)True, AV input/output AV Input:1, AV OutputR1.

ACCESSORIES: Wall Fixtures / Assorted Cables - Connectors & Power Cords etc.

6. MATRIX SWITCHER

4 X 4 Quad HDMI I/O TV Matrix Switch

01-SET

Video Bandwidth: 225 MHz./ 6.75 Gbps

Resolution

Input

4 X HDMI / Output / 4 X HDM

Audio Output

7.1 / 2-Channel LPCM @ 192 KHz. Sampling Rate Front panel buttons, IR remote control transmitter, RS-232, Ethernet

Single link DVI-D switching Stereo audio switching

Supports computer video up to 1920x1200, including HDTV 1080p/60 and 2K

EDID Minder® automatically manages EDID communication between connected devices

Selectable cable equalization for each input

Retimes and reshapes marginal or noisy DVI signals

ACCESSORIES: IR Controller / Fixtures / Cables & Connectors / Power Supply Units

7. VIDEO SCALAR CUM FORMAT CONVERTER Multi Video System - HDMI / VGA / RGB, HDTV, and video scaling

01-SET

RGB upscaling and downscaling

Selectable output rates from 640x480 to 1920x1200, including HDTV 1080p/60

Simultaneous DVI and analog RGB or HD component video outputs

EDID Minder® automatically manages EDID communication between connected devices

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

Auto Input Format Detection

SIGNAL TYPES:

1- RGBHV, RGBS, RGsB, RGBcvS, component video (YUVi or YUVp/HDTV),

S-video, composite video; pass-through is available for RGBHV, RGBS, RGsB signal types

- 1 Composite video, S-video, component video (YUVi or YUVp/HDTV)
- 1 SDI (optional, DVS 304 DVI D and DVS 304 DVI AD only)
- 1 Composite video

CONNECTORS:

- 1 Female 15-pin HD: RGBHV, RGBS, RGBcvS, component video, S-video, composite video
- 3 Female BNC: component video, S-video, composite video
- 1 Female BNC: SDI (optional, DVS 304 DVI D and DVS 304 DVI-AD
- 1 Female 4-pin mini DIN: S-video
- 1 Female BNC: composite video

MIN. / MAX. LEVELS

1 Vp-p for Y of component video and S-video, and for composite video

0.7 Vp-p for RGB and for R-Y and B-Y of component video

Analog: 0.0 V to 1.0 Vp-p with no offset

Impedance: 75 ohms

Horizontal Freq. : 15 kHz to 100 kHz / Vertical Freq. : 50 Hz to 120 Hz

: 640x480 to 1920x1200, 480p, 576p, 720p, 1080i, 1080p

Return Loss

Resolution

: Appx. <-30 dB @ 5 MHz

DC offset (Max.) : 1.3 V

NTSC to PAL / PAL to NTSC

PC-VGA, SVGA, XGA, WXGA, HD / WXGA, SXGA, WXGA+, SXGA+,

WSXGA+, UXGA, WUXGA@60-Hz.

High Definition 480i/p ~ 1080i/p @ 50/60 Hz.

Front panel buttons, IR remote control transmitter, RS-232, Ethernet

ACCESSORIES: IR Controller / Fixtures / Cables & Connectors / Power Supply Units

NOTE: Item No. 1 - 7 are to be Installed and Commissioned by the Supplier

8. AUDIO EDITING CONSOLE

2 x 800W stereo powered mixer (1600W bridged mode)

Class-D amplifier technology:

conventional powered mixers means no more lugging around dead weight

20-channel mixer section / 12 mono / 4 stereo channels

Separate CD/Tape input/output

01-SET

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

2 studio-grade, 24-bit stereo FX processors with 100 presets

(including reverb, chorus, flanger, delay, pitch shifter, and various multi-effects)

FBQ Feedback Detection system / feedback removal

High-quality Mic Preamps with switchable +48V phantom power for condenser microphones

Effective musical 3-band EQ, switchable Pad, and Clip LEDs on all mono channels

Stereo 7-band graphic EQ allows precise frequency correction of monitor and main outputs

Voice Canceller function removes singer's voice from recordings for karaoke applications

Selectable stereo (main L/R), double mono (main/monitor) or bridged mono amplifier operation mode

Speaker Processing function adjusts frequency response to match professional speaker systems

Standby switch for muting all input channels during breaks

(while background music is provided via CD/Tape input)

Breathtaking XPQ 3D stereo surround effect / enhanced stereo image

Adjustable stereo 2-Track input for connecting external line sources

Multi-functional stereo preamp outputs for added flexibility

Ultracompact rackmountable

9. PROFESSIONAL GRADE SPEAKER SYSTEM Dual channel 2-way Soundbar to fit 42" TV screens & up

01-SET

01-SET

Powerful Wireless subwoofer with strong 2 x 5 1/4" chassis for deep bass attacks

Dolby Digital and DTS decoding

Bluetooth Wireless music streaming (aptX) for CD like music quality.

Multiple digital (Optical, Coaxial) & analogue input, 3 listening modes (Dialog, Music, Movie) & Night Mode

Audio Output : Min. 160 Watt (Audio Power)

ACCESSORIES: Wall Fixtures / Audio-Cables & Cords etc

10. MIXER AMPLIFIER (AV RECEIVER)

POWER AND PROCESSING

ROCESSING

7-channel amplifier

Min. 80 watts per channel into 8 ohms (20-20,000 Hz) at 0.08% THD, with 2 channels driven

Dolby® and DTS® surround sound decoding, including Dolby Pro Logic® IIz

Dolby Atmos® processing for use with in-ceiling or "height" speakers

DTS:X[™] for an immersive, 3-dimensional soundstage

MultEQ® XT auto setup and room calibration delivers balanced,

Dynamic sound with enhanced surround

DIGITAL AND STREAMING MUSIC OPTIONS:

built-in Wi-Fi for listening to music from a networked PC, free Internet radio, and music services includes support for Pandora, SiriusXM Internet radio, and free Internet radio streams with vTuner

Spotify Connect lets you play Spotify's streaming music library

DLNA and Windows® 8 certified for streaming music with compatible devices and computers

(Coleman)

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

front-panel USB input for connecting an iPod®, iPhone, or USB memory device Compressed Audio Restorer improves sound quality of MP3s and other digital music files

MULTI-ROOM AUDIO:

Dual-room/dual-source output powered

Bi-amping front speakers

CONNECTIONS:

HDMI 2.0 audio/video switching: 6 in (includes 1 front-panel input), 1 out HDCP 2.2 technology ensures compatibility with 4K Ultra HD sources

TVs (all HDMI inputs and monitor output)

Composite video switching: 2 inputs, 1 output / Digital audio inputs: 2 optical / 2 Analog stereo audio inputs

Preamp outputs for two powered subwoofers

Ethernet port for network connection

Outputs for 7 speakers (Front L/R, Center, Surround L/R, Surround Back L/R)

Full-sized headphone jack / removable power cord

GENERAL FEATURES:

4K/60p and 3D video pass-through

HDMI standby pass-through allows HDMI switching without powering up receiver

intuitive, full-color on-screen guide AM/FM tuner / remote control

ACCESSORIES: Wall Fixtures / Cables & Cords etc.

11. OFFICE CONFERENCING SYSTEM

MICROPHONE

01-SET

Slim-line gooseneck microphone with illuminated LED ring

Click-free switching during mic ON/OFF

Sensitivity

Appx. -37dB (1-KHz, o-dB-1VPa)

Frequency Range

Appx. 100-Hz to 13-KHz.

Directivity

Unidirectional

CENTRAL UNIT

Input

MIC - ~ -60dB / 600-Ohms / Unbalanced / Phono-Jack

AUX - ~ -20dB / 10K Ohms / Unbalanced / Phono-Jack

Output

RECORDING ~20dB / 10K Ohms / Unbalanced / Phono-Jack

CONTROL

Priority

Button / Priority Speech Chime

Speaker Restriction / Automatic Mic Off (OFF / 20 or 40 Seconds Switchable)

Min 32-Nos. of Connections / Line

REMOTE DELEGATION INTERFACE UNIT

Input

~ -60dB / 600-Ohms / Balanced / Phono-Jack with VR Control

Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

Output

~ -60dB / 22-Ohms / Balanced / Phono-Jack with VR Control

Connection

Min. 2-Metre Cable

CHAIRMAN UNIT

Output

Headphone (32-Ohms) / Recording

~ -20dB (Recording) / 10K Ohms / Unbalanced / Mini-Phono-Jack

Internal Speaker - ~130-Ohms / ~200mWatt

Control

Speech Butto / Priority Button / Speker On-Off / Chime etc.

Connection

Min. 2-Metre Cable

DELEGATION UNIT

Type / Directivity

Gooseneck type / Unidirectional

Impedance / Sensityvity ~1.8 K-Ohms / Appx. -37dB (1-KHz, o-dB-1VPa) / LED Indication

Automatic muting of delegate loudspeaker when mic is 'ON'.

ACCESSORIES: Fixtures / Cables & Cords etc

12. AV RECEIVER SYSTEM

Min. 85 Watts per Channel

01-SET

(8-Ohms, 20 Hz 20 kHz 0.08% THD, 2 Channels Driven)

Min. 100-Watts per Channel (6 Ohms, 1 kHz, 0.7% THD, 2 Channels Driven)

6-HDMI Inputs and 2 Outputs with Audio Return Channel

Built-In Wi-Fi-Certified Wireless LAN Capability Onboard Bluetooth Audio Streaming Technology

Powered Zone 2 and Zone 2 Line-Out

(For Distributed Audio Playback in Another Room) ACCESSORIES: Fixtures / Audio-Cables & Cords etc.

13. SOUND REPRODUCTION SYSTEM (PROFESSIONAL GRADE)

MAIN COMPONENT SYSTEM

01-SET

Min. 95 Watts per Channel

(8-Ohms, 20 Hz 20 kHz 0.08% THD, 2 Channels Driven)

Min.115-Watts per Channel (6 Ohms, 1 kHz, 0.7% THD, 2 Channels Driven)

6-HDMI Inputs and 2 Outputs with Audio Return Channel

Built-In Wi-Fi-Certified Wireless LAN Capability Onboard Bluetooth Audio Streaming Technology

Powered Zone 2 and Zone 2 Line-Out

(For Distributed Audio Playback in Another Room)

SPEAKERS

Centre Speakers : Woofer - Dual 13 cm (5") cone

Tweeter - 3 cm (1") Aluminum dome

Freq. Response : Appx. 60 Hz-45 kHz

Input Power

Nominal ~ 100 Watt / Max. ~ 200 Watt

Sensitivity

~ 90 dB/2.83 V/1 m

Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

Cross Over

~ 2.8 KHz.

Imedence

6 - Ohms

Surround Speakers: Woofer - Dual 13 cm (5") cone

Tweeter - 3 cm (1") Aluminum dome

Freq. Response : Appx. 60 Hz-45 kHz

Input Power

Nominal ~ 50 Watt / Max. ~ 150 Watt

Sensitivity

~ 88 dB/2.83 V/1 m

Cross Over Imedence

~ 3.0 KHz.

6 - Ohms

ACCESSORIES: Wall Fixtures / Audio-Cables, Connectors & Power-Cords etc.

14. BLUE-RAY COMBO SYSTEM

SURROUND AMPLIFIER - Blu-ray & DVD player

Integrated, and Powerful movie theater System

Premium 5.1 channel surround sound

Built-in Wi-Fi2 for easy setup and unlimited streaming

Network, Connect & stream music from Bluetooth devices with 3D conversion & DVD HD upscaling, TV SideView enabling

FM Tuner Technology

SPEAKERS - 5.1 Channel Speaker Surround Sound Channel Configuration

Front Speakers / Surround Speakers / Center Speaker / Subwoofer / Speaker Cords

Wi-Fi. Bluetooth Wireless

Wireless Surround Transmitter / Receiver

ACCESSORIES

Remote Control / HDMI Cable / FM Antenna (Pig tail/T type) / Auto Calibration Mic

Audio-Cables, Connectors & Power-Cords etc.

15. DIGITAL WIRELESS SPEAKER SYSTEM

Dolby Digital, DTS System

4.1 & 5.1 Speaker System

AAC, MP3, WAV, WMA Play Back

Total Power Output - Appx. 350 Watt RMS Sub-Woofer Output - Appx. 150 Watt RMS Min. 6" Passive / Appx. 45 Hz. - 200 Hz.

Wireless Connectivity - USB / Wi-Fi / BlueTooth Audio Line in - Analog / Optical / Co-Axial

ACCESSORIES: Wall Fixtures / Audio-Cables, Connectors & Power-Cords etc

16. TURN-TABLE / RECORD PLAYER

Fully Automatic Turntable, Belt-Drive, DC Servo Model

Aluminium Die-Cast Turn-table

Speed: 33 1/3 RPM and 45 RPM

01-SET

01-SET

01-SET

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

~ 7.6 Inch Tone Arm / ~3.5 Gram Optimal Stylus Pressure

USB Support / USB Recording

Digital Recording: MP3, 192 kbps / Convert Records to MP3 on USB Memory

Output Voltage: Equalizer Off - ~2.5 mV and : Equalizer On ~150 mV

Built in RIAA Phono Equlizer

AUDIO: 2-Channel (Stereo) / ~10-Watt Audio Power

Operating Voltage ~ 230 -V AC

17. VIDEO CAMERA

S-mm 4096 X 2160 Advance MOS Imager

Native ISO of 800 and 5000

High Dynamic Range (HDR) Ready

14+ Stops of Latitude / Varible Frame Rate - 01 to 120 fps in 4K

Dual Recorder

Simultaneous Record in 4K / 2K / Proxy or UHD / HD / Proxy & Raw CODEX (Optional)

2 AVC Inter CODECs - Class 100 / Class 200 / Class 4:4:4

2-Piece Modular Design (Docs to AU-VREC1G Recording Module)

CODEX V-Raw Recorder / Uncompressed Full-Frame RAW Recording at 120fps

ACCESSORIES:

Tripod Stand, Additional Batteries, Carry Bag, Recoding Microphone etc.

Assorted Cables & Connectors . Power Packs

18. VIDEO HANDY-CAM.

XAVC S 50 / High Bit Rate for Capturing Complex Scene details

Optical Steady Shots / Camera shake Correction

Exmor R-CMOS Sensors

Resolution

: Min. 640 X 360, LCD / Image Stabilization

Optical Zoom : Min. 30 X / Aspect Ratio : 16:9

ACCESSORIES: AC Adapter, Rechargable Battery Pack, HDMI Cable, USB Cable

Application Software etc.

19. WEB CAMERA

(A) IP CAMERA

Built in Protocols

Focal Length

Min. Illumination

Capturing Distance

Other Features

TCP/IP, HTTP, DDNS

Appx. 08-12 Mtrs. / Board Lens

0-Lux

IR-Distance Appx. 25-30 Mtrs.

Ethernet Connectivity / CMS / Mobile View / ONVIF

BNC Video Out etc.

9 of 12

01-SET

01-SFT

06-SET

Government Girls polytechnic, Bayron Bazar, Raipur (CG) – 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

(B) CONFERENCE CAMERA

Motorized PAN, Tilt, Zoom /

02-SET

~80 Degree Field-View, 180 Degree PAN, ~55 Degree Tilt

Full HD 1080p / 30 fps / Video Calling

Optics with multiple point Auto Focus Capability

Integrated Full Duplex Omni Directional Speaker Phone / Min. 3 Mtrs. Range On-Board H.264 Encoding / USB Video Class (UVC) Supported Applications

Audio Volume / Audio Mute / Answer or Hang-up

(C) SURVEILLANCE CAMERA

Technology

Motorized / Night Vision / Pan / Tilt / Zoom

02-SET

IR Distance(m)

Min. 8m CMOS

Sensor Alarm Action

MOS

FTP Photo, Email Photo, Local Alarm

Viewing Angle

60 degrees

Connectivity

IP/Network and / or Wireless iPhone / Android – OS

Supported Mobile Systems
Supported Operating Systems

Windows O/S, Mac O/S

Video Compression Format

MJPEG,H.264

Lens (mm) / Resolution

Appx. 3.6mm / HD / Appx. 720P(HD) / 1280*720,640*480,320*180

Network Interface:

Wi-Fi/802.11/b/g two-way audio

Audio storage

SD card

20. MICROPHONES

(A) VIDEO MICROPHONE

Large diaphragm N/DYM Condenser Microphone

02-SET

Superior multistage shock mount

Pro-Tools SE Software

16-bit recording at CD quality and beyond-44.1 or 48 kHz Large 16mm cardioid capsule protected by wire mesh Ideal for both live Performance and in the Recording Studio

Frequency Response

for unmatched low handling noise

ACCESSORIES

Gig-Bag / Stand Mount Adapter / Lead Wire 25'-True Balanced Lo-Z Shielded Cable

High Grade 21g Dual Copper Conductors & Shield

On Stage Tripod Boom Microphone Stand

(B) WIRELESS MICROPHONE

Professional VHF- 8 channel wireless microphone system

02-SET

Frequency Response: 50 Hz - 16 kHz

Dual Telescoping Receiver Antennas - 1/4" Individual

(Deserve)

Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

Line Outputs and Mixed 1/4" Outputs

Operation Range: 150 - 600 ft.

Min. 8 Volume Controls - One For Each Channel

Available Frequencies (Hz)

Set 1 - 215.5, 174.8, 200.6, 180.8

Set 2 - 212.6, 190.1, 214.2, 193.0

Signal to Noise Ratio

~ 90 dB

8 Volume Controls - One For Each Channel

Includes 4-Lavalier Mics, 4-Headset Mics, 4-Handheld Mics

Dynamic Range
Total Harmonic Distortion

~ 90dB ~ 0.5%

Operation Range

~ 120 - 500 ft.

Rack Mount Main System
On / Off Broadcasting Switch

ACCESSORIES: Batteries / 4 Belt Packs etc.

(C) VOICE MICROPHONE

Wired / Handheld / Fixed-charge back plate, permanently polarized condenser

Polar Pattern

Impedance

Cardioid 600 Ohms (Low-Z balanced)

Open Circuit Voltage Audio Frequency ~ 14.0 mV/Pascal (~ 35 dB) ~ 20 Hz - 20,000 Hz (Response)

Max. Sound Power Dynamic Range

 \sim 140 dB SPL, 1 kHz at 1% T.H.D \sim 124 dB, 1 kHz at Max SPL

Noise & S/N Ratio Power ~ 20 dB & 74 dB, 1 kHz at 1 Pa 48-V DC / 2-mA Typical

Connector Type Weight

Integrated 3-pin XLRM ~ 320-Gram to 380 Grams

ACCESSORIES

Gig-Bag / Stand Mount Adapter / Lead Wire

Spider-Shockmount

Mic Wind Screen Pop Filter Swivel Mount 360 Flexible Gooseneck Holder

(D) STUDIO MICROPHONE

Wired / Handheld / Fixed-charge back plate, permanently polarized condenser

01-SET

02-SET

Polar Pattern Impedance Cardioid

Open Circuit Voltage

600 Ohms (Low-Z balanced) ~ 14.0 mV/Pascal (~ 35 dB)

Audio Frequency
Max. Sound Power

~ 20 Hz - 20,000 Hz (Response) ~ 140 dB SPL, 1 kHz at 1% T.H.D.

Dynamic Range

~ 124 dB, 1 kHz at Max SPL

Noise & S/N Ratio

~ 20 dB & 74 dB, 1 kHz at 1 Pa

Government Girls polytechnic, Bayron Bazar, Raipur (CG) - 492001

Phone 0771-2423045 Fax 0771-2424778 Website: http://www.ggpraipur.ac.in

Power

48-V DC / 2-mA Typical Integrated 3-pin XLRM

Weight

~ 320-Gram to 380 Grams

ACCESSORIES

Connector Type

Gig-Bag / Stand Mount Adapter / Lead Wire 25'-True Balanced Lo-Z Shielded Cable

High Grade 21g Dual Copper Conductors & Shield

On Stage Tripod Boom Microphone Stand

Spider-Shockmount

Mic Wind Screen Pop Filter Swivel Mount 360 Flexible Gooseneck Holder

(E) WIRED MICROPHONE

Wired / Handheld / Dynamic Element / Passive-Power

04-SET

Polar Pattern

Super-Cardioid

Impedance

600 Ohms (Low-Z balanced)

Open Circuit Voltage ~ 2.2 mV/Pascal

Audio Frequency

~ 80 Hz - 16,000 Hz (Response)

Connector Type Weight

Integrated 3-pin XLR ~ 280-Gram to 300 Grams

ACCESSORIES

Gig-Bag / Stand Mount Adapter / Lead Wire

25'-True Balanced Lo-Z Shielded Cable

High Grade 21g Dual Copper Conductors & Shield

On Stage Boom Microphone Stand

PRINCIPAL Govt. Girs's Polytechnic Byron-Bazar, Raipur (CG)

